



**D SERIES TECNOCOMBI ELECTRIC COMBI
OVEN, DIRECT STEAM, ELECTRONIC CONTROL,
10XGN1/1 TRAYS, CORE PROBE, AUTOMATIC
WASHING**

954643 - EOM10DSL

TECHNICAL DATA

Total Power	16,5 kW	Fan Speed	4
EL Power	16,5 kW	Foot high	65 mm
Frequency	50/60 Hz	Foot adjustment	65/75 mm
Voltage	380-415 3N~V	IPX	3
Fan Motor Power Rating	0,5 kW	Width	86 cm
Convection Unit Power Rating	16 kW	Depth	71 cm
Trays capacity	10xGN1/1 n°	Height	102 cm
Max. food Load	50 Kg	Packaging Width	95 cm
Oven Chamber Dimensions (WxDxH)	59x37,5x77 cm	Packaging Depth	87 cm
Runners	10 n°	Packaging Height	134 cm
Distance between shelves	7 cm	Net Weight	102 kg
Timer	0-540 min	Gross Weight	117,6 kg
Oven Version	GN/ electronic	Volume	1,1 m³

ACCESSORIES

- 091910: GN1/1 STAINLESS STEEL BAKING GRID FOR POULTRY
- 091946: STAINLESS STEEL MESH BASKET FOR PRE-FRIED FOOD
- 091947: TEFLON COATED ALUMINUM SPECIAL GRID FOR VEGETABLES
- 091949: STAINLESS STEEL BAKING GRID FOR SKEWERS
- 091950: ALUMINUM TEFLON COATED SPECIAL GRID FOR MEAT AND FISH
- 091951: ALUMINUM TEFLON COATED TRAY FOR EGGS AND OMELETTES
- 091952: ALUMINUM SMOOTH TEFLON COATED TRAY H=20MM
- 091953: ALUMINUM SMOOTH TEFLON COATED TRAY H=40MM
- 091954: ALUMINUM SMOOTH TEFLON COATED TRAY H 65MM
- 9032: GN1/1 STAINLESS STEEL SMOOTH BAKING TRAY H=20MM
- 9033: GN1/1 STAINLESS STEEL SMOOTH BAKING TRAY H=40MM
- 9034: GN1/1 SMOOTH STAINLESS STEEL BAKING TRAY H=65MM
- 9055: GN1/1 STAINLESS STEEL GRID
- 9056: GN1/1 STAINLESS STEEL BAKING WITH HOLES H=20MM
- 9057: GN1/1 PERFORATED STAINLESS STEEL BAKING TRAY H=40MM
- 9058: GN1/1 STAINLESS STEEL BAKING TRAY WITH HOLES H=65MM
- 9059: GN1/1 ENAMELLED BACKING TRAY H=20MM
- 9060: GN1/1 ENAMELLED BACKING TRAY H=40MM
- 951912: EXTERNAL SHOWER
- 951915: ALKALINE DETERGENT TANK 10LT FOR OVENS
- 951917: ALUMINUM TRAY WITH HEAT RETENTION FOR PIZZA GN11
- 951933: ALUMINUM SMOOTH TEFLON COATED TRAY WITH HEAT RETENTION
- 951934: ALUMINUM RIBBED TEFLON COATED TRAY WITH HEAT RETENTION
- 951938: CLOSED CABINET WITH SIDE RUNNERS AND DETERGENT TANK SUPPORT FOR GN1/1 OVENS - 7TRAYS CROSSWISE
- 951939: CROSSWISE HOT CLOSED CABINET, SIDE RUNNERS FOR GN1/1 OVENS - 7 TRAYS CROSSWISE
- 951950: NEEDLE CORE PROBE FOR SOUSVIDE COOKING
- 951953: TEFLON-COATED ALUMINUM TRAY GN1/1
- 951954: PREFORATED TEFLON-COATED ALUMINUM TRAY GN1/1
- 951961: KIT FOR OVENS FOR WATER LOADING AND DRAINING
- 951971: CONDENSATING EXTRACTOR HOOD KOGC FOR 6 GN1/1 AND 10 GN1/1 TECNOCOMBI, 230V, 50/60HZ, 0.19KW MOTOR
- 951972: COVERING PANEL FOR TECNOCOMBI OVENS WITH HOOD ON BASE, CUPBOARD, HOT CUPBOARD OR HUMIFIED CUPBOARD
- 951974: BASE FOR 6 AND 10 GN1/1 TRAYS TECNOCOMBI OVENS
- 951976: BASE WITH SIDE RUNNERS FOR 6 AND 10 GN1/1 TRAYS TECNOCOMBI OVENS
- 951977: STACKING KIT FOR 1X6 AND 1X10 GN1/1 ELECTRIC TECNOCOMBI OVENS
- 951979: STACKING KIT 2X6 GN1/1 ELECTRIC TECNOCOMBI OVENS
- 951980: STACKING KIT FOR 1X4 GN1/1 AND 1X6 GN1/1 ELECTRIC TECNOCOMBI OVENS
- 951981: STACKING ELEMENT FOR 6 AND 10 GN1/1 TRAYS TECNOCOMBI OVENS ON 5 TRAYS BLAST FREEZERS
- 951983: WHEELS KIT FOR OVENS BASE