



ICC201G/N - RATIONAL iCombi Classic - Model 20- 1/1 - Natural Gas Free- standing Combi Oven - 42 kW

The RATIONAL iCombi Classic 20-1/1 is truly multitasking, and will quickly become the indispensable assistant in your kitchen.

- ✓ Large 20 x GN 1/1 capacity, ideal for mass catering and for food service establishments with high output requirements
- ✓ Produce consistent high quality results with crisp crusts, attractive diamond grill patterns, or crispy breaded products
- ✓ Easy to use controls, with recognisable symbols and dial with a push function
- ✓ Digital display of cooking chamber humidity, time, and adjustable temperature
- ✓ Store up to 100 cooking programmes with as many as 12 steps
- ✓ Steam mode with steam regulation in 10% stages, together with consistent cooking cabinet temperature and optimal steam saturation, provides a uniform cooking process
- ✓ Advantages of steam combined with benefits of convection heat: short cooking time, reduction in shrinkage and intensive aromas with appetising colours. No cooking loss, no drying, high quality
- ✓ 4 automatic cleaning programmes, and integrated hand shower

Specifications

Summary Power and Performance

| | | | |
|-----------------------------|--|-----------------------------|--|
| Brand | Lincat | Total Power kW | 42 |
| Range | RATIONAL | Temperature Range °C | 30-300 |
| Series | iCombi Classic | IP Rating | IPX5 |
| Power Type | Gas | Temperature Control | Electronic |
| Gas Type | Natural Gas | Oven Rating kW | Steam connection = 38.0; Hot air connection = 42.0 |
| Unit Type | Free-standing | | |
| Available in UK Only | Yes | | |
| UK Warranty | RATIONAL 2 Years Parts and Labour Warranty | | |

Key Specifications Capacity

| | | | |
|---------------------------------|-----|----------------------------|------------|
| WRAS Approved | Yes | Gastronorm Capacity | 20 x GN1/1 |
| Type of Lighting | LED | Portions per Day | 150-300 |
| Number of Grids included | 0 | | |

Weights and Dimensions Supply Connections

| | | | |
|----------------------------------|------|---|----------|
| Unit Height (External) mm | 1872 | Requires Installation | Yes |
| Unit Width (External) mm | 877 | Requires Electrical Supply | Yes |
| Unit Depth (External) mm | 913 | UK 3 Pin Plug | Yes |
| Net Weight Kg | 276 | Requires Hardwiring | No |
| | | Electrical Supply Rating Watts | 1,300 |
| | | Single Phase Amps | 16 |
| | | Single Phase Voltage | 230 |
| | | Gas Connection BSP | 3/4" |
| | | Gas Pressure Natural mbar | 18-25 |
| | | Total heat input at full rate Natural kW | 42 |
| | | Water Connection Pressure Bar | 6 |
| | | Drain Connection | DN 50 mm |
| | | Water Connection | 3/4" |

Shipping

| | |
|-------------------------|-------|
| Packed Weight Kg | 303.6 |
| Packed Height cm | 204.3 |
| Packed Width cm | 100.8 |
| Packed Depth cm | 101.3 |

Available Accessories

| | |
|------------------|--|
| 56.00.598 | RATIONAL De-foamer Tablets - x 120 [for use with iCC - iCP - SCC - CMP units] |
| 60.21.293 | RATIONAL Mobile Plate Rack - 60 Plates - Model 20-1/1 |
| 60.21.294 | RATIONAL Mobile Plate Rack - 50 Plates - Model 20-1/1 |
| 60.21.331 | RATIONAL Mobile Oven Rack - Model 20-1/1 - 20 Racks - Rail Distance 65 mm - Requires Run-in Rail |
| 60.21.332 | RATIONAL Finishing System for Banquets - inc Mobile Plate Rack, Thermocover and Transport Trolley - 60 Plates - Model 20-1/1 |
| 60.21.333 | RATIONAL Finishing System for Banquets - inc Mobile Plate Rack, Thermocover and Transport Trolley - 50 Plates - Model 20-1/1 |
| 60.70.464 | RATIONAL Appliance Connection Kit - Model 6-1/1-20-2/1 - with Adapter for Model XS |
| 60.70.943 | RATIONAL Grill and Pizza Tray - GN1/1(325 x 530 mm) |
| 60.71.157 | RATIONAL Multibaker - 8 moulds - GN1/1(325 x 530 mm) |
| 60.71.617 | RATIONAL Grilling and Roasting Tray - GN1/1(325 x 530 mm) |
| 60.73.008 | RATIONAL VarioSmoker |
| 60.73.619 | RATIONAL CombiFry® Frying Basket - GN2/3(325 x 354 mm) |
| 60.73.646 | RATIONAL Multibaker Tray - 5 Moulds - GN2/3(325 x 354 mm) |
| 60.75.326 | RATIONAL Condensation Breaker - Models 20-1/1, 20-2/1 |
| 6004.1011 | RATIONAL Thermocover for Mobile Oven Rack and Mobile Plate Rack - Model 20-1/1 |
| 6006.0110 | RATIONAL Descaler - 10 litres [for iCombi Classic - iCombi Pro - SCC - CMP units] |
| 6010.1101 | RATIONAL Rust-free Stainless Steel Grid - GN1/1(325 x 530 mm) |
| 6013.1102 | RATIONAL Stainless Steel Container - GN1/1(325 x 530 mm) - 20 mm deep |
| 6013.1103 | RATIONAL Roasting and Baking Tray - Non-stick - GN1/1(325 x 530 mm) |
| 6013.1106 | RATIONAL Stainless Steel Container - GN1/1(325 x 530 mm) - 65 mm deep |
| 6013.2302 | RATIONAL Stainless Steel Container - GN2/3(325 x 354 mm) - 20 mm deep |
| 6013.2306 | RATIONAL Stainless Steel Container - GN2/3(325 x 354 mm) - 65 mm deep |
| 6014.1102 | RATIONAL Granite-enamelled Container - GN1/1(325 x 530 mm) - 20 mm deep |
| 6014.1104 | RATIONAL Granite-enamelled Container - GN1/1(325 x 530 mm) - 40 mm deep |
| 6014.1106 | RATIONAL Granite-enamelled Container - GN1/1(325 x 530 mm) - 60 mm deep |
| 6014.1202 | RATIONAL Granite-enamelled Container - GN1/2(325 x 265 mm) - 20 mm deep |
| 6014.1204 | RATIONAL Granite-enamelled Container - GN1/2(325 x 265 mm) - 40 mm deep |
| 6014.1206 | RATIONAL Granite-enamelled Container - GN1/2(325 x 265 mm) - 60 mm deep |
| 6015.1103 | RATIONAL Perforated Baking Tray - GN1/1(325x530 mm) |
| 6015.1165 | RATIONAL Stainless Steel Perforated Container - GN1/1(325 x 530 mm) - 55 mm deep |
| 6019.1150 | RATIONAL CombiFry® Frying Basket - GN1/1(325 x 530 mm) |
| 6019.1250 | RATIONAL CombiFry® Frying Basket - GN1/2(325 x 265 mm) |
| 6035.1006 | RATIONAL Chicken Superspike - 8 Chicken Capacity - GN1/1 |
| 6035.1010 | RATIONAL Chicken Superspike - 10 Chicken Capacity - GN1/1 |
| 6035.1015 | RATIONAL Chicken Superspike - 4 Chicken Capacity - GN1/2 |
| 6035.1016 | RATIONAL Chicken Superspike - 6 Chicken Capacity - GN1/1 |
| 6035.1017 | RATIONAL CombiGrill Griddle - 1/1 GN(325 x 530 mm) |
| 6035.1018 | RATIONAL Ribs Rack - GN1/1(325 x 530 mm) |
| 6035.1019 | RATIONAL Potato Baker - GN1/1(325 x 530 mm) |
| 9006.0136 | RATIONAL Special Cleaning Agent - Soft - for CleanJet - 10 litres [for CMP & ClimaPlus units only] |

Available Accessories

| | |
|------------------|--|
| 9006.0137 | RATIONAL Clear Rinsing Agent - for CleanJet - 10 litres [for CMP & ClimaPlus units only] |
| 9006.0153 | RATIONAL Grill Cleaner for Stubborn Dirt - for CleanJet - 10 litres [for CMP & ClimaPlus units only] |



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm