



F68/324 - IMC Vulture 825 In-tabling Food Waste Disposer - 3 Phase [4 wire][air break] - W 360 mm - 2.2 kW

- Fast and efficient disposal of up to 600kg of food waste per hour.
- Handles up to 1350 covers per sitting ideal for large kitchens.
- For tough waste (red meat bones, cauliflower stalks and fish skins).
- Compact design, welded into tabling, for quick and easy loading.

Reliable, efficient, safe and easy to operate, the compact 825 Waste Disposer allows operators to quickly and effectively remove waste, to create a safer and cleaner kitchen.

- Manually reversible motor to extend operational life.
- With class A airbreak kit recommended when connecting to a mains water supply.
- Suitable for medium kitchens with three-phase, four-wire power supply.

Specifications

| Summary | | Power and Performance | |
|---|--|--|--|
| Brand Range Series Power Type Unit Type Available in UK Only UK Warranty Export Warranty Mounting GTIN | IMC Vulture 800 Series Electric Welded into tabling No 2 Years Parts and Labour Warranty Contact your local dealer In-tabling 5056105199632 | Total Power kW HP IP Rating | 2.2 3 IP55 |
| Key Specifications | | Capacity | |
| Operator Safety WRAS Approved Airbreak | Interlocks WRAS Compliant Yes | Type of Waste Covers Per Sitting Capacity Kg per Hour | Tough waste 1350 600 |
| Weights and Dimensions | | Supply Connections | |
| Unit Height (External) mm Unit Width (External) mm Unit Depth (External) mm Net Weight Kg | 919 360 530 51 | Requires Installation Requires Electrical Supply UK 3 Pin Plug Requires Hardwiring Electrical Supply Rating Watts Three Phase Amps Three Phase Voltage Water Supplied From Water Connection Pressure Bar Drain Connection | Yes Yes No Yes 2200 5.3 400 Mains or storage cistern 0.4 2° BSP threaded flange, connected to 54mm piping; 15mm |





Shipping


| Packed Weight Kg | 56.1 |
|------------------|------|
| Packed Height cm | 104 |
| Packed Width cm | 63 |
| Packed Depth cm | 48 |


| Available Options | |
|----------------------------|---|
| MAG CUTLERY SAVER VS167 | 700/800/904/904X MAGNETIC CUTLERY SAVER |
| WATER FLOW CONTROL | |


VS357


825 WATER FLOW CONTROL

Technical Picture











Lincat frifri

Lincat Limited

Whisby Road, Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday – Friday: 8.30am – 5pm