



TI 622H32G0 - FriFri Touch 622 Electric Freestanding Twin Tank Fryer - 2 Baskets - W 600 mm - 2 x 15.0 kW

For those who run the busiest professional kitchens and refuse to compromise on quality, a Touch 622 is your newest kitchen assistant, helping you to deliver quality results every time.

- 24 one touch icon driven menu items, meaning regardless of the operator, at one touch deliver precisely the same results every time.
- Are there more fries than last time? Adaptive cooking automatically adjusts the cooking times to suit your batch size ensuring you never serve undercooked food.
- The 4.3" QPad is intuitive, easy to use and provides the wider functionality that only a touch screen can deliver.
- Easy-View Traffic Light Status ColourCue. Great for busy and noisy kitchens, ColourCue shows you the status of your fryer at a glance: red - attention required such as unload; amber - pre-heating; green - ready to fry.
- Understand your energy usage. Customise the eco settings by temperature to suit your operation. View where you can make savings with detailed analysis of the fryer's energy usage over the last 8 hours, 24 hours, 7 days and 28 days.
- Keeping your oil in peak condition! FriFri Oil Assistant and optional xFri® to easily monitor the condition of oil with the onscreen oil status. When prompted filter the oil even while its still hot, mid service if necessary, and resume frying in under five minutes. It is so quick and easy there is no excuse not to!

- Raising food to the next level. Perfect for kitchens where you don't have time for constant supervision, optional LiftFri© automatic basket lifting system lifts food at the end of the cycle to prevent overcooking.
- Optimum Allergy Control. Supplied with separate oil buckets, and can be supplied with separate pumped filtration systems, providing completely segregated gravity filtration for optimum allergen control or to cater for dietary preferences.
- Pressed tank for strength and durability. Radiused corners for easy cleaning. Hinged elements with two tilt positions for draining and cleaning.
- Data driven quality. For the ultimate repeatable results view your fryer usage data hours of operation coupled with the number of cook and filter cycles. For multi-site operations configure and clone your menu easily via USB.
- Consistency across sites. Ensure consistent, great quality results across multiple sites, easily via USB.
- Invest in the future of your business with a Touch fryer. With superior construction, an industry leading high output from minimal footprint, and with easy to apply USB software updates, Touch will ensure happy, satisfied customers for many years to come.

## **Specifications**

## Summary **Power and Performance Brand** FriFri **Total Power kW** 2 x 15.0 40-190 Temperature Range °C Range Touch IPX4 **Power Type** Electric IP Rating **Unit Type** Free-standing **Temperature Control** Electronic Available in UK Only **UK Warranty** 2 Years Parts and Labour Warranty **Export Warranty** Contact your local dealer GTIN 5056105123231





Key Specifications		Capacity	
Number of Baskets	2	Product Output per Hour	2 x 32kg fries - 7mm[frozen]
Number of Tanks	2	Capacity Litres	2 × 12.5-14.5
Gravity Filtration	Yes		
Pumped Filtration	No		
Drain Location	Through the body		
Weights and Dimensions		Supply Connections	
Unit Height (External) mm	994	Requires Installation	Yes
Unit Width (External) mm	E00	Poquires Flectrical Supply	Vaa

g		cuppi) comiconone	
Unit Height (External) mm	994	Requires Installation	Yes
Unit Width (External) mm	592	Requires Electrical Supply	Yes
Unit Depth (External) mm	650	UK 3 Pin Plug	No
Net Weight Kg	98.5	Requires Hardwiring	Yes
		Electrical Supply Rating Watts	2 x 15,000
		Three Phase Amps	L1=2 × 21.7; L2=2 × 21.7; L3=2 × 21.7
		Three Phase Voltage	400
		Number of Supply Cables	2
Chinning			
Shipping			

J	oppg	
	Dealer d Weight I/o	100.5
	Packed Weight Kg	107.5
	Packed Height cm	113
	Packed Width cm	79
	Packed Depth cm	72

Availab	IA O	Intione
Availab	16 0	puons

OP1	10il Pump
OP2	2 Oil Pumps

**Basket Lift** 

Oil Pump

 OL1
 1 Basket Lift

 OL2
 2 Basket Lifts

Baskets

622\_2\_BASKETS2 Baskets622\_3\_BASKETS3 Baskets622\_4\_BASKETS4 Baskets

Legs/Castors

 OC200
 0C200 - 2 Castors [Fixed at Rear] + 2 Legs [at Front]

 OC400
 0C400 - 4 Castors [2 Fixed at Rear + 2 Swivel at Front]

## **Available Accessories**

FZ301093 SMALL BASKET FOR 311 - COMPLETE WITH HANDLE







**Lincat Limited** 

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

**Company No:** 2175448

A member company of

**Customer Care** 

**Tel:** +44 1522 875500

Email: care@lincat.co.uk

**Export Customers** 

**Tel:** +44 1522 875536

Email: export@lincat.co.uk

**Opening Hours** 

Monday - Friday:

8.30am - 5pm



Product Code: TL622H32G0 Page Number: 3 Print Date: 29/09/2022